

**APPENDIX A:** Summary of sampling efforts and results in the Little Lost River drainage between 1992 and 1997. (Calculations are for fish greater than or equal to 70 millimeters, except for Bureau of Land Management sites sampled between 1992 and 1994 which are for fish greater than or equal to 100 millimeters.) (Adapted from LLRITAT 1998, Gamett 1999.)

Stream	Location	Sampling Method	Date	Length	Width	Water Temp °C	Total Captured ≥70 mm (all fish) <sup>a</sup>	Population Estimate (Range)	Fish/100 mm <sup>2</sup>	Rb	Bk	Bl	Sculpin Present	Comments
Badger Creek #1	3.2 km above Little Lost River	1 pass	9/95	52	2.5	6	4 (4)	--	--	100	--	--	yes	
Badger Creek #2	1.4 km above Forest boundary	1 pass	9/95	96	2.4	6	12 (14)	--	--	92	--	8	no	
Badger Creek #3	0.3 km above Bunting Canyon Ck	2 pass	7/97	20	1.8	7	16 (19)	16 (16-18)	44.4	100	--	--	no	
		2 pass	6/95	20	1.4	7	17 (18)	17 (17-18)	64.1	94	--	6	no	
Big Creek #1	0.8 km above Wet Creek	1 pass	9/96	68	2.2	11	7 (14)	--	--	86	14	--	yes	
		2 pass	8/94	95	2.1	--	16	16 (16-17)	8.0	81	19	--	--	
Big Creek #1a	20 m above Forest boundary	1 pass	9/96	54	2.4	10	30 (36)	--	--	37	63	--	yes	
Big Creek #2	at trailhead	2 pass	9/94	88	2.2	--	54	65 (56-75)	33.6	52	48	--	--	

**APPENDIX A:** Summary of sampling efforts and results in the Little Lost River drainage between 1992 and 1997. (Calculations are for fish greater than or equal to 70 millimeters, except for Bureau of Land Management sites sampled between 1992 and 1994 which are for fish greater than or equal to 100 millimeters.) (Adapted from LLRITAT 1998, Gamett 1999.)

Stream	Location	Sampling Method	Date	Length	Width	Water Temp °C	Total Captured ≥70 mm (all fish) <sup>a</sup>	Population Estimate (Range)	Fish/100 mm <sup>2</sup>	Rb	Bk	Bl	Sculpin Present	Comments
Big Creek #3	immediately below beaver pond	2 pass	8/94	91	4.0	--	123	154 (138-170)	42.3	60	38	2	--	1 fish appeared to be a Bk-Bl hybrid
Big Creek #4	above beaver pond	2 pass	9/94	73	1.6	--	125	160 (142-179)	137	18	77	6	--	all bull trout appeared to be Bk-Bl hybrids
Bunting Canyon #1	175 m above Badger Creek	1 pass	7/97	43	1.6	6	6 (9)	--	--	50	--	50	no	
Bunting Canyon #2	0.8 km above Badger Creek	1 pass	6/95	60 <sup>b</sup>	1.5 <sup>b</sup>	--	none observed	--	--	--	--	--	no	included 2 separate sections
Bunting Canyon #3	2 km above Badger Creek	1 pass	6/95	50 <sup>b</sup>	1.0 <sup>b</sup>	--	none observed	--	--	--	--	--	no	
Camp #1 (Sawmill Canyon)	100 m above Timber Creek	1 pass	9/95	25	1.2	7	5 (5)	--	--	--	--	100	no	

**APPENDIX A:** Summary of sampling efforts and results in the Little Lost River drainage between 1992 and 1997. (Calculations are for fish greater than or equal to 70 millimeters, except for Bureau of Land Management sites sampled between 1992 and 1994 which are for fish greater than or equal to 100 millimeters.) (Adapted from LLRITAT 1998, Gamett 1999.)

Stream	Location	Sampling Method	Date	Length	Width	Water Temp °C	Total Captured ≥70 mm (all fish) <sup>a</sup>	Population Estimate (Range)	Fish/100 mm <sup>2</sup>	Rb	Bk	Bl	Sculpin Present	Comments
Camp #2 (Sawmill Canyon)	1.6 km above Timber Creek	1 pass/visual	9/95	10 <sup>b</sup>	1.0 <sup>b</sup>	--	none observed	--	--	--	--	--	no	habitat limited
Firebox Creek	400 m above Little Lost River	2 pass	7/97	100	2.9	8	36 (41)	48 (36-72)	16.6	--	--	100	no	
Hawley Creek	immediately above Iron Creek Road	1 pass	9/95	47	0.8	5	1 (1)	--	--	--	--	100	no	habitat limited
Iron Creek	just above Iron Creek Road	1 pass	9/96	88	2.2	5	4 (8)	--	--	--	--	100	no	
		2 pass	8/95	93	2.2	9	14 (14)	20 (14-31)	10.1	--	--	100	no	
Jackson Creek	just above Iron Creek Road	1 pass	9/95	73	2.1	3	2 (2)	--	--	--	--	100	no	habitat limited
Little Lost #1 (BLM)	0.8 km below Big Springs Creek	1 pass	9/93	144	6.7	--	6	--	--	100	--	--	--	

Chapter 19 - Little Lost

**APPENDIX A:** Summary of sampling efforts and results in the Little Lost River drainage between 1992 and 1997. (Calculations are for fish greater than or equal to 70 millimeters, except for Bureau of Land Management sites sampled between 1992 and 1994 which are for fish greater than or equal to 100 millimeters.) (Adapted from LLRITAT 1998, Gamett 1999.)

Stream	Location	Sampling Method	Date	Length	Width	Water Temp °C	Total Captured ≥70 mm (all fish) <sup>a</sup>	Population Estimate (Range)	Fish/100 mm <sup>2</sup>	Rb	Bk	Bl	Sculpin Present	Comments
Little Lost #2 (BLM)	0.4 km below Buck and Bird Road	2 pass	9/93	208	4.7	--	12	16 (12-23)	1.6	92	--	8	--	
Little Lost #3 (BLM)	at Clyde Campground	2 pass	9/93	234	7.1	--	125	238 (158-318)	14.3	96	1	3	--	
Little Lost #4 (BLM Sawmill #4)	lower end of lower pasture	2 pass	7/97	108	7.2	20	14 (14)	14 (14-16)	1.8	71	14	14	no	
		2 pass	8/93	105	5.0	--	14	14 (14-14)	2.7	93	7	--	--	
Little Lost #5 (BLM Sawmill #3)	above Mahogany Creek Road crossing	2 pass	7/97	131	8.6	17	24 (24)	25 (24-28)	2.2	75	8	17	yes	
		2 pass	8/93	109	5.0	--	10	11 (10-12)	2.0	70	20	10	--	
Little Lost #6 (BLM Sawmill #2)	lower portion of upper enclosure	2 pass	7/97	131	7.2	14	27 (27)	33 (27-46)	3.5	93	--	7	yes	
		2 pass	8/93	94	7.7	--	42	48 (42-59)	6.6	93	2	5	--	

Chapter 19 - Little Lost

**APPENDIX A:** Summary of sampling efforts and results in the Little Lost River drainage between 1992 and 1997. (Calculations are for fish greater than or equal to 70 millimeters, except for Bureau of Land Management sites sampled between 1992 and 1994 which are for fish greater than or equal to 100 millimeters.) (Adapted from LLRITAT 1998, Gamett 1999.)

Stream	Location	Sampling Method	Date	Length	Width	Water Temp °C	Total Captured ≥70 mm (all fish) <sup>a</sup>	Population Estimate (Range)	Fish/100 mm <sup>2</sup>	Rb	Bk	Bl	Sculpin Present	Comments
Little Lost #7 (BLM Sawmill #1)	2.4 km below Sawmill Canyon Rd	2 pass	7/97	110	7.2	10	40 (40)	45 (40-54)	5.7	90	8	3	yes	
		2 pass	8/93	110	7.3	--	43	56 (44-68)	7.0	91	9	--	--	
Little Lost #8 (FS Sawmill #1)	at Forest boundary	2 pass	7/97	182	9.3	11	63 (63)	71 (63-83)	4.2	92	3	5	no	1 fish appeared to be a Bk-Bl hybrid ('97)
		4 pass	9/95	126	8.5	13	104 (105)	120 (104-136)	11.2	93	4	3	no	
Little Lost #9 (FS Sawmill #2)	behind Guard Station	2 pass	7/97	158	9.2	11	75 (79)	93 (75-117)	6.4	87	11	3	--	2 fish appeared to be Bk-Bl hybrids ('97)
		3 pass	9/95	162	7.6	7	97 (97)	99 (97-102)	8.0	93	4	3	no	
Little Lost #10 (FS Sawmill #3)	above Mill Creek	2 pass	7/97	112	7.8	12	62 (62)	84 (62-117)	9.6	65	35	--	yes	some fish appeared to be Bk-Bl hybrids ('97)
		3 pass	9/95	103	5.7	12	52 (52)	53 (52-55)	9.0	79	15	6	yes	
Little Lost #10a (FS Sawmill #3a)	10 m above Iron Creek Road	1 pass	8/97	100	9.1	13	31 (34)	--	--	39	3	58	yes	
		1 pass	9/96	91	8.4	6	29 (30)	--	--	66	--	34	yes	

Chapter 19 - Little Lost

**APPENDIX A:** Summary of sampling efforts and results in the Little Lost River drainage between 1992 and 1997. (Calculations are for fish greater than or equal to 70 millimeters, except for Bureau of Land Management sites sampled between 1992 and 1994 which are for fish greater than or equal to 100 millimeters.) (Adapted from LLRITAT 1998, Gamett 1999.)

Stream	Location	Sampling Method	Date	Length	Width	Water Temp °C	Total Captured ≥70 mm (all fish) <sup>a</sup>	Population Estimate (Range)	Fish/100 mm <sup>2</sup>	Rb	Bk	Bl	Sculpin Present	Comments
Little Lost #11 (FS Sawmill #4)	0.4 km below Timber Creek	2 pass	7/97	123	8.1	12	25 (28)	45 (25-104)	4.5	48	--	52	yes	
		2 pass	9/95	122	8.3	8	26 (26)	36 (26-48)	3.6	65	--	35	yes	
Little Lost #12 (FS Sawmill #5)	0.8 km above Moonshine Creek	2 pass	7/97	114	5.3	13	45 (46)	49 (45-56)	8.1	13	--	87	yes	
		3 pass	8/95	116	5.5	6	27 (27)	29 (27-33)	4.6	26	--	74	no	
Little Lost #13 (FS Sawmill #6)	1.6 km above Smithie Fork	2 pass	8/95	83	3.0	--	26 (27)	51 (26-88)	20.4	--	--	100	no	
Little Lost #14 (FS Sawmill #7)	400 m above Firebox Creek	1 pass	7/97	90	2.4	10	22 (26)	--	--	--	--	100	no	
Mill Creek #1	at Mill Creek Campground	2 pass	8/97	73	4.1	8	54 (57)	62 (54-74)	20.7	3	93	4	no	some fish appeared to be Bk-Bl hybrids ('95 & '97)
		2 pass	8/95	70	3.6	10	42 (44)	50 (43-57)	20.0	12	52	36	no	

**APPENDIX A:** Summary of sampling efforts and results in the Little Lost River drainage between 1992 and 1997. (Calculations are for fish greater than or equal to 70 millimeters, except for Bureau of Land Management sites sampled between 1992 and 1994 which are for fish greater than or equal to 100 millimeters.) (Adapted from LLRITAT 1998, Gamett 1999.)

Stream	Location	Sampling Method	Date	Length	Width	Water Temp °C	Total Captured ≥70 mm (all fish) <sup>a</sup>	Population Estimate (Range)	Fish/100 mm <sup>2</sup>	Rb	Bk	Bl	Sculpin Present	Comments
Mill Creek #2	0.5 km above trailhead	1 pass	9/96	68	4.2	6	6 (6)	--	--	--	67	33	no	3 fish appeared to be Bk-Bl hybrids, 1 rainbow trout was observed but uncaptured
Mill Creek #3	upstream from Mill Creek Lake	visual	8/95	50 <sup>b</sup>	1.0 <sup>b</sup>	--	none observed	--	--	--	--	--	--	
Mill Creek, unnamed tributary	50 m above Mill Creek	1 pass	9/96	25 <sup>b</sup>	0.5 <sup>b</sup>	--	none observed	--	--	--	--	--	no	habitat limited
Quigley Creek #1	25 m above Sawmill Canyon Rd	1 pass	6/97	21	0.8	10	1 (1)	--	--	--	--	100	no	
Quigley Creek #2	200 m above Sawmill Canyon Rd	1 pass	6/97	87	1.2	8	none observed	--	--	--	--	--	no	

**APPENDIX A:** Summary of sampling efforts and results in the Little Lost River drainage between 1992 and 1997. (Calculations are for fish greater than or equal to 70 millimeters, except for Bureau of Land Management sites sampled between 1992 and 1994 which are for fish greater than or equal to 100 millimeters.) (Adapted from LLRITAT 1998, Gamett 1999.)

Stream	Location	Sampling Method	Date	Length	Width	Water Temp °C	Total Captured ≥70 mm (all fish) <sup>a</sup>	Population Estimate (Range)	Fish/100 mm <sup>2</sup>	Rb	Bk	Bl	Sculpin Present	Comments
Redrock Creek #1	0.2 km above Timber Creek	1 pass	9/95	42	1.9	6	8 (8)	--	--	--	--	100	no	
Redrock Creek #2	top end of transect is culvert on road 460A	1 pass	6/97	90	3.3	9	10 (10)	--	--	--	--	100	no	
Redrock Creek, Right Fork	400 m above Left Fork	1 pass	6/97	52	1.2	9	none observed	--	--	--	--	--	no	
Redrock Creek, Left Fork	200 m above Right Fork	1 pass	6/97	56	1.0	9	none observed	--	--	--	--	--	no	
Slide Creek #1	100 m above Timber Creek	1 pass	6/97	107	2.7	6	8 (8)	--	--	--	--	100	no	
Slide Creek #2	0.9 km above Timber Creek	1 pass	6/97	65	1.8	6	none observed	--	--	--	--	--	no	

**APPENDIX A:** Summary of sampling efforts and results in the Little Lost River drainage between 1992 and 1997. (Calculations are for fish greater than or equal to 70 millimeters, except for Bureau of Land Management sites sampled between 1992 and 1994 which are for fish greater than or equal to 100 millimeters.) (Adapted from LLRITAT 1998, Gamett 1999.)

Stream	Location	Sampling Method	Date	Length	Width	Water Temp °C	Total Captured ≥70 mm (all fish) <sup>a</sup>	Population Estimate (Range)	Fish/100 mm <sup>2</sup>	Rb	Bk	Bl	Sculpin Present	Comments
Smithie Fork #1	just above Sawmill Road bridge	2 pass	7/97	79	3.3	7	68 (69)	74 (68-83)	20.1	3	--	97	no	mean width does not include side channel that was included in transect
		2 pass	8/95	71	4.2	12	75 (77)	83 (77-89)	28.4	7	--	93	no	
Smithie Fork #2	3.2 km above Little Lost River	2 pass	8/95	126	3.4	9	89 (92)	130 (102-158)	30.3	--	--	100	no	
Smithie Fork Trib. (unnamed)	200 m above confluence	1 pass	9/97	45	1.5	9	1 (1)	--	--	--	--	100	no	
Squaw Creek #1 (Sawmill Canyon)	0.8 km above Sawmill Canyon Rd	1 pass	9/96	55	3.3	11	27 (34)	--	--	33	52	15	yes	
Squaw Creek #2 (Sawmill Canyon)	4.0 km above Sawmill Road	2 pass	7/97	56	2	9	27 (40)	27 (27-28)	24.1	41	48	11	no	some fish appeared to be Bk-Bl hybrids ('95 & '97)
		3 pass	8/95	66	3.3	10	26 (29)	27 (26-29)	12.3	23	58	19	no	
Squaw Creek #3 (Sawmill Canyon)	0.9 km above North Fork	1 pass	8/96	50	0.9	9	12 (19)	--	--	--	--	100	no	

**APPENDIX A:** Summary of sampling efforts and results in the Little Lost River drainage between 1992 and 1997. (Calculations are for fish greater than or equal to 70 millimeters, except for Bureau of Land Management sites sampled between 1992 and 1994 which are for fish greater than or equal to 100 millimeters.) (Adapted from LLRITAT 1998, Gamett 1999.)

Stream	Location	Sampling Method	Date	Length	Width	Water Temp °C	Total Captured ≥70 mm (all fish) <sup>a</sup>	Population Estimate (Range)	Fish/100 mm <sup>2</sup>	Rb	Bk	Bl	Sculpin Present	Comments
Squaw Creek, North Fork #1 (Sawmill Canyon)	0.6 km above Squaw Creek	1 pass	9/96	57	1.7	10	9 (12)	--	--	--	56	44	no	
Squaw Creek, North Fork #2 (Sawmill Canyon)	1.8 km above Squaw Creek	1 pass	6/97	114	1.8	6	8 (8)	--	--	--	13	88	no	
Squaw Creek, unnamed tributary (Sawmill Canyon)	tributary above Squaw Creek #2 on south side of road	1 pass	8/95	47	0.9	9	3 (3)	--	--	33	67	--	no	
Summit Creek #1 (BLM #3)	4.0 km below Sawmill Road	2 pass	8/92	97	1.8	--	23	28 (23-35)	16.0	91	9	--	--	

**APPENDIX A:** Summary of sampling efforts and results in the Little Lost River drainage between 1992 and 1997. (Calculations are for fish greater than or equal to 70 millimeters, except for Bureau of Land Management sites sampled between 1992 and 1994 which are for fish greater than or equal to 100 millimeters.) (Adapted from LLRITAT 1998, Gamett 1999.)

Stream	Location	Sampling Method	Date	Length	Width	Water Temp °C	Total Captured ≥70 mm (all fish) <sup>a</sup>	Population Estimate (Range)	Fish/100 mm <sup>2</sup>	Rb	Bk	Bl	Sculpin Present	Comments
Summit Creek #2 (BLM #2)	1.6 km below Sawmill Road	3 pass	8/92	106	2.8	--	70	72 (70-76)	24.3	100	--	--	--	
Summit Creek #3 (BLM #1)	0.8 km below Sawmill Road	3 pass	8/92	110	3.0	--	129	130 (129-133)	39.4	100	--	--	--	
Summit Creek #4 <sup>d</sup>	400 m below Sawmill Canyon Rd	1 pass	10/95	75 <sup>b</sup>	3.0 <sup>b</sup>	--	65 (65)	--	--	95	3	2	yes	
Summit Creek #6	Iron Springs	1 pass	6/97	170	7.3	12	6 (6)	--	--	100	--	--	yes	
Timber Creek #1	0.8 km above Little Lost River	3 pass	7/97	133	4.7	10	42 (46)	43 (42-45)	6.9	5	--	95	yes	
		2 pass	8/95	133	3.6	10	23 (23)	26 (23-30)	5.5	17	--	83	yes	
Timber Creek #2	100 m above Slide Creek	hook and line	6/97	100 <sup>b</sup>	2.0 <sup>b</sup>	--	1 (1)	--	--	--	--	100	no	approx. 5 other bull trout between 100-200 mm were observed

**APPENDIX A:** Summary of sampling efforts and results in the Little Lost River drainage between 1992 and 1997. (Calculations are for fish greater than or equal to 70 millimeters, except for Bureau of Land Management sites sampled between 1992 and 1994 which are for fish greater than or equal to 100 millimeters.) (Adapted from LLRITAT 1998, Gamett 1999.)

Stream	Location	Sampling Method	Date	Length	Width	Water Temp °C	Total Captured ≥70 mm (all fish) <sup>a</sup>	Population Estimate (Range)	Fish/100 mm <sup>2</sup>	Rb	Bk	Bl	Sculpin Present	Comments
Warm Creek #1	0.4 km above Little Lost	2 pass	6/95	47	2.6	10	8 (8)	8 (8-9)	6.7	100	--	--	no	
Warm Creek #2	0.6 km above upper Forest boundary	1 pass	6/95	34	2	7	1 (1)	--	--	--	--	100	no	2 bull trout approx. 70 and 110 mm were observed but uncaptured
Warm Springs Creek (BLM)	below Little Lost Highway	2 pass	8/93	115	3.3	--	86	94 (88-99)	24.8	100	--	--	--	
Wet Creek (BLM #7)	just below Pancheri diversion	3 pass	8/92	118	3.7	--	27	28 (27-31)	6.4	85	7	7	--	
Wet Creek (BLM #6)	just below Dry Creek hydro	2 pass	8/92	94	4.4	--	4	5 (4-6)	1.2	75	--	25	--	
Wet Creek (BLM #5)	3.6 km below Squaw Creek	2 pass	8/92	129	4.4	--	25	29 (25-35)	5.1	96	--	4	--	

**APPENDIX A:** Summary of sampling efforts and results in the Little Lost River drainage between 1992 and 1997. (Calculations are for fish greater than or equal to 70 millimeters, except for Bureau of Land Management sites sampled between 1992 and 1994 which are for fish greater than or equal to 100 millimeters.) (Adapted from LLRITAT 1998, Gamett 1999.)

Stream	Location	Sampling Method	Date	Length	Width	Water Temp °C	Total Captured ≥70 mm (all fish) <sup>a</sup>	Population Estimate (Range)	Fish/100 mm <sup>2</sup>	Rb	Bk	Bl	Sculpin Present	Comments
Wet Creek (BLM #4)	2.0 km below Squaw Creek	3 pass	8/92	96	3.9	--	21	22 (21-24)	5.9	100	--	--	--	
Wet Creek (BLM #2)	0.8 km below #1	2 pass	8/92	117	3.3	--	19	20 (19-21)	5.2	100	--	--	--	
Wet Creek (BLM #1)	2.4 km below Forest boundary	2 pass	8/92	89	4.3	--	21	22 (21-24)	5.7	100	--	--	--	
Wet Creek #0	top end of transect is Big Creek	1 pass	7/97	170	5.1	10	16 (16)	--	--	81	13	6	yes	
Wet Creek #1	0.6 km above Forest boundary	1 pass 3 pass	7/96 7/95	104 192	2.2 2.2	10 15	28 (28) 34 (34)	-- 35 (34-37)	-- 8.3	96 100	-- --	4 --	yes yes	
Wet Creek #1a	250 m above Coal Creek	1 pass	7/96	87	2.3	12	15 (15)	--	--	73	--	27	yes	
Wet Creek #1aa	beaver pond below Hilts Creek	snorkel	7/96	--	--	10	--	--	--	40 <sup>b</sup>	--	60 <sup>b</sup>	--	

**APPENDIX A:** Summary of sampling efforts and results in the Little Lost River drainage between 1992 and 1997. (Calculations are for fish greater than or equal to 70 millimeters, except for Bureau of Land Management sites sampled between 1992 and 1994 which are for fish greater than or equal to 100 millimeters.) (Adapted from LLRITAT 1998, Gamett 1999.)

Stream	Location	Sampling Method	Date	Length	Width	Water Temp °C	Total Captured ≥70 mm (all fish) <sup>a</sup>	Population Estimate (Range)	Fish/100 mm <sup>2</sup>	Rb	Bk	Bl	Sculpin Present	Comments
Wet Creek #1b	at Hilts Creek	2 pass	8/97	102	3.6	12	65 (65)	69 (65-76)	18.8	37	--	63	yes	
Wet Creek #2	0.5 km above Hilts Creek (top end of private)	2 pass	8/95	151	3.5	--	12 (13)	13 (12-14)	2.4	75	--	25	yes	
Wet Creek #3	0.8 km above Hilts Creek (in meadow)	3 pass 2 pass	6/96 8/95	138 95	3.6 2.8	10 8	54 (54) 29 (29)	56 (54-60) 32 (29-36)	11.3 12.1	28 31	-- --	72 69	no no	
Wet Creek #3a	108 m above #3	2 pass	6/96	48	2.8	9	11 (11)	11 (11-12)	8.2	36	--	64	no	
Wet Creek #4	2.2 km above Hilts Creek	1 pass	7/95	135	2.0	7	none observed	--	--	--	--	--	no	included 3 sections on main channel and 1 on a side channel
Wet Creek, unnamed tributary (across from Coal Creek) #1	100 m above Wet Creek	1 pass	9/95	34	1.0	12	-- (30 <sup>b</sup> )	--	--	--	--	--	no	all fish were rainbow trout 35-65 mm

**APPENDIX A:** Summary of sampling efforts and results in the Little Lost River drainage between 1992 and 1997. (Calculations are for fish greater than or equal to 70 millimeters, except for Bureau of Land Management sites sampled between 1992 and 1994 which are for fish greater than or equal to 100 millimeters.) (Adapted from LLRITAT 1998, Gamett 1999.)

Stream	Location	Sampling Method	Date	Length	Width	Water Temp °C	Total Captured ≥70 mm (all fish) <sup>a</sup>	Population Estimate (Range)	Fish/100 mm <sup>2</sup>	Rb	Bk	Bl	Sculpin Present	Comments
Wet Creek, unnamed tributary (across from Coal Creek) #2	0.6 km above Wet Creek	1 pass	7/97	91	1.2	10	20 (21)	--	--	100	--	--	no	
Williams Creek #1	1.6 km below Forest boundary	1 pass	6/95	75 <sup>b</sup>	1.0 <sup>b</sup>	--	1 (1)	--	--	--	--	100	yes	
Williams Creek #2	beaver pond at Forest boundary	hook and line	6/97	--	--	--	7 (7)	--	--	--	--	100	--	
Williams Creek #3	1.6 km above Forest boundary	3 pass	6/95	49	1.4	8	7 (12)	7 (7-8)	10.4	--	--	100	no	

<sup>a</sup> For BLM sites sampled between 1992 and 1994 this column indicates number of fish ≥ 100 mm.

<sup>b</sup> Represents an estimate or an approximation.

<sup>c</sup> More fish were captured in this transect than could be held between passes. Therefore, fish were released below the transect between passes. It may be possible that some of these fish moved back into the transect, were recaptured, and recounted.